



Turn to the experts

COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**

TABLE OF CONTENTS

SINGLE ZONE DUCTLESS

Compatibility Single Zone – Infinity® Series.....	2
Compatibility Single Zone – Performance® Series.....	3
Compatibility Single Zone Hybrid Solutions – Performance® Series.....	4-5
Compatibility Single Zone – Comfort® Series.....	6

MULTI-ZONE DUCTLESS

Compatibility Multi-zone – Performance® Series.....	7
---	---

CONTROLS DUCTLESS

Compatibility Controls.....	8
-----------------------------	---



Turn to the experts

COMPATIBILITY CHARTS

DUCTLESS SYSTEMS

Compatibility Single Zone – Infinity® Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT			
		38MPRAQ09AA3	38MPRAQ12AA3	38MPRAQ18AA3	38MPRAQ24AA3
High Wall	40MPHAQ09XA3	•			
	40MPHAQ12XA3		•		
	40MPHAQ18XA3			•	
	40MPHAQ24XA3				•

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



Turn to the experts

COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**

Compatibility Single Zone – Performance® Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT											
		38MAQB09---1	38MAQB12---1		38MAQB09---3	38MAQB12---3	38MAQB18---3	38MAQB24---3	38MAQB30---3		38MBQB36---3	38MBQB48---3	
		38MAQB09R--1	38MAQB12R--1		38MAQB09R--3	38MAQB12R--3	38MAQB18R--3	38MAQB24R--3	38MAQB30R--3	38MAQB36R--3	38MBRQ36A--3	38MBRQ48A--3	38MBRQ58A--3
		38MARBQ12AA1	38MARBQ06AA3	38MARBQ09AA3	38MARBQ12AA3	38MARBQ18AA3	38MARBQ24AA3	38MARBQ30AA3	38MARBQ36AA3	38MBRBQ36AA3	38MBRBQ48AA3		
High Wall	40MAQB09B--1	•											
	40MAQB12B--1		•										
		40MAHBQ06XA3		•									
	40MAQB09B--3	40MAHBQ09XA3			•								
	40MAQB12B--3	40MAHBQ12XA3				•							
	40MAQB18B--3	40MAHBQ18XA3					•						
	40MAQB24B--3	40MAHBQ24XA3						•					
40MAQB30B--3	40MAHBQ30XA3							•					
40MAQB36B--3	40MAHBQ36XA3								•				
Cassette	40MBQB09C--3	40MBCQ09---3			•								
	40MBQB12C--3	40MBCQ12---3				•							
	40MBQB18C--3	40MBCQ18---3					•						
		40MBCQ24---3						•					
		40MBCQ36---3								•			
	40MBCQ48---3									•	•		
Ducted	40MBQB09D--3	40MBDQ09---3			•								
	40MBQB12D--3	40MBDQ12---3				•							
	40MBQB18D--3	40MBDQ18---3					•						
	40MBQB24D--3	40MBDQ24---3						•					
	40MBQB36D--3	40MBDQ36---3								•			
	40MBQB48D--3	40MBDQ48---3									•	•	
	40MBDQ58---3											•	
Console	40MBQB09F--3	40MBFQ09---3			•								
	40MBQB12F--3	40MBFQ12---3				•							
		40MBFQ18---3					•						
		40MBFQ24---3						•					
		40MBFQ36---3							•				
	40MBFQ48---3								•		•		
	40MBFQ58---3											•	
Air Handler	40MBAAQ24XA3							•					
	40MBAAQ36XA3									• Only 38MBRB			
	40MBAAQ48XA3										• Only 38MBRB		

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**

Turn to the experts

Compatibility Single Zone Hybrid Solutions – Performance® Series with Fan Coils

INDOOR UNIT		OUTDOOR UNIT				
		38MARBQ12AA3	38MARBQ18AA3	38MARBQ24AA3	38MARBQ30AA3	38MARBQ36AA3
FB4C Fan Coil	FB4CNF018L	‡	‡			
	FB4CNP018L	‡	‡			
	FB4CNF024L			‡		
	FB4CNP024L			‡		
	FB4CNF030L				‡	
	FB4CNP030L				‡	
	FB4CNF036L					‡
FMA4X Fan Coil	FMA4X18**AL*	‡	‡			
	FMA4X24**AL*			‡		
	FMA4X30**AL*				‡	
	FMA4X36**AL*					‡
FX4D Fan Coil	FX4DNF019L	‡	‡			
	FX4DNF025L			‡		
	FX4DNF031L				‡	
	FX4DN(B,F)037L					‡
FV4C Fan Coil	FV4CNF002L	‡	‡	‡		
	FV4CN(B,F)003L				‡	‡
FMC - FMU Fan Coil	FM(C,U)4Z18**AL*	‡	‡			
	FM(C,U)4Z24**AL*			‡		
	FM(C,U)4Z30**AL*				‡	
	FM(C,U)4Z36**AL*					‡

Notes:

‡ Requires 24V interface KSAIC0301230. TXV on the indoor unit or cased coil shall be removed. 24V Transformer on the 24V interface shall be removed. Consult the Installation instructions manual.

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



Turn to the experts

COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**

Compatibility Single Zone Hybrid Solutions – Performance® Series with Furnace/Case Coils

INDOOR UNIT		OUTDOOR UNIT				
		38MARBQ12AA3	38MARBQ18AA3	38MARBQ24AA3	38MARBQ30AA3	38MARBQ36AA3
80% AFUE Furnace †	58S(B,C)*A045E14**12	B‡	A, B, C, D‡	B, E‡	E‡	I‡
	58S(B,C)*A045E17**12	C‡	A, C, D‡	G‡	F‡	G, I, J‡
	58S(B,C)*A070E14**12	B‡	A, B, C, D‡	B, E‡	E‡	G‡
	58S(B,C)*A070E17**12		C‡	C, F, G‡		I, J‡
	58S(B,C)*A070E17**16	C‡			F‡	
	58S(B,C)*A070E21**16	H‡			H‡	H, J‡
	58S(B,C)*A090E17**14					G, H, I, J‡
	58S(B,C)*A090E21**16	H‡			H‡	H, J‡
	58S(B,C)*A090E21**20					H, J‡
	58S(B,C)*A110E21**20					H, J‡
	58SU*A040E17**12	C‡	A, C, D‡	C, F, G‡	F‡	G, H, I, J‡
	58SU*A060E17**16			C, F, G‡		G, H, I, J‡
	58SU*A080E21**20					H‡
	58SU*A100E21**20					H‡
	58TP*A045V14**12	B‡	A, B, C, D‡	B, E‡	E‡	G, I‡
	58TP*A070V14**12		A, B, C, D‡			I‡
	58TP*A070V17**16		A, C, D‡	C, F, G‡		G, H, I‡
	58TP*A090V17**16		A, C, D‡			G, H, I‡
	58TP*A090V21**20					H, J‡
	90% AFUE Furnace †	59SC2D040E14**10	B‡	A, B, C, D‡	B, E‡	E‡
59SC2D040E17**12			A, C‡			
59SC2D060E14**12		B‡	A, B, C, D‡	B, E‡	E‡	G, I‡
59SC2D060E17**14		C‡		B, E‡	F‡	G, H‡
59SC2D080E17**16		C‡	C‡	C, F, G‡	F‡	G, H, I‡
59SC5B026E14**10		C‡	A, B, C, D‡	B, E‡		
59SC5B040E14**10		C‡	A, B, C, D‡	B, C, E, F, G, I‡	E, G, I‡	
59SC5B040E17**12		C‡	A, C, D‡	C, D, F, G, H, I, J‡	F, G, H, I, K, L‡	
59SC5B060E14**12		B‡	B, C‡	B, C, D, E, F, G, I‡	E, F, G, I‡	
59SC5B060E17**14			A, C, D‡	C, D, F, G, H, I, J‡	F, G, H, I, J, K, L‡	
59SC5B080E17**16		C‡			F‡	
59SC5B080E21**20		H‡			H‡	
59SU5A040E17**12		C‡	A, C, D‡	C, F, G‡	F‡	
59TP6B040V14**10		B‡	A, B, C, D‡	B, E‡	E‡	
59TP6B040V17**12		C‡	A, C, D‡	C, F, G‡	F‡	
59TP6B060V14**12		B‡	A, B, C, D‡	B, E‡	E‡	
59TP6B060V17**14		C‡	A, C, D‡	C, F, G‡	F‡	G, H, I‡
59TP6B080V17**16		C‡	D‡	C, F, G‡	F‡	H, I, J‡
59TP6B080V21**20		H‡			H‡	H, J‡
59TP6B100V21**20		H‡			H‡	H‡
59TP6B100V21**22					H, J‡	

Key	Multi-raise A Coil	Vertical N Coil
A	CAP**1917AL*	
B	CAP**2414AL*	CNPV*1814AL* CNPV*2414AL*
C	CAP**2417AL*	CNPV*2417AL*
D	CAP**2517AL*	CNPV*2417AL*
E	CAP**3014AL*	CNPV*3014AL*
F	CAP**3017AL*	CNPV*3017AL*
G	CAP**3617AL*	CNPV*3617AL*
H	CAP**3621AL*	CNPV*3621AL*
I	CAP**3717AL*	CNPV*4217AL*
J	CAP**3721AL*	CNPV*4221AL*
K	CAP**4221AL*	CNPV*4221AL*
L	CAP**4321AL*	CNPV*4221AL*

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

Notes:

† Furnaces are available in 115V. ODU is only available in 230V. Consult the Installation instructions manual.

‡ Requires 24V interface KSAIC0301230. TXV on the indoor unit or cased coil shall be removed. 24V Transformer on the 24V interface shall be removed. Consult the Installation instructions manual.

Letter indicates compatible cased coil for selected combinations.



Turn to the experts

COMPATIBILITY CHARTS

DUCTLESS
SYSTEMS

Compatibility Single Zone – Comfort® Series

INDOOR UNIT		COOLING ONLY OUTDOOR UNIT					
		38MHRC09A--1	38MHRC12A--1	38MHRC09A--3	38MHRC12A--3	38MHRC18A--3	38MHRC24A--3
			38MHRBC12AA1		38MHRBC12AA3	38MHRBC18AA3	38MHRBC24AA3
High Wall	40MHHC09---1	•					
	40MHHC12---1		•				
	40MHHC12--A1		•				
	40MHHC09---3			•			
	40MHHC12---3				•		
	40MHHC12--A3				•		
	40MHHC18---3					•	
40MHHC24---3						•	

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT					
		38MHRQ09A--1	38MHRQ12A--1	38MHRQ09A--3	38MHRQ12A--3	38MHRQ18A--3	38MHRQ24A--3
			38MHRBQ12AA1	38MHRBQ09AA3	38MHRBQ12AA3	38MHRBQ18AA3	38MHRBQ24AA3
			38MHRCQ12AA1	38MHRCQ09AA3	38MHRCQ12AA3	38MHRCQ18AA3	38MHRCQ24AA3
High Wall	40MHHQ09---1	•					
	40MHHQ12---1		•				
	40MHHQ09---3			•			
	40MHHQ12---3				•		
	40MHHQ18---3					•	
	40MHHQ24---3						•

INDOOR UNIT		COOLING ONLY OUTDOOR UNIT				
		38MFC009---1	38MFC012---1	38MFC012---3	38MFC018---3	38MFC022---3
High Wall	40MFC009---1	•				
	40MFC012---1		•			
	40MFC012---3			•		
	40MFC018---3				•	
	40MFC022---3					•

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT				
		38MFQ009---1	38MFQ012---1	38MFQ012---3	38MFQ017---3	38MFQ022---3
High Wall	40MFQ009---1	•				
	40MFQ012---1		•			
	40MFQ012---3			•		
	40MFQ017---3				•	
	40MFQ022---3					•

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



Turn to the experts

COMPATIBILITY CHARTS

DUCTLESS
SYSTEMS

Compatibility Multi-zone – Performance® Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT					
		38MGQC18---3	38MGQD27---3		38MGQF36---3	38MGQF48---3	
		38MGRQ18B--3	38MGRQ24C--3	38MGRQ30D--3	38MGRQ36D--3	38MGRQ48E--3	
High Wall Infinity	40MPHAQ09XA3		•	•	•	•	•
	40MPHAQ12XA3		•	•	•	•	•
	40MPHAQ18XA3						
	40MPHAQ24XA3						
High Wall Performance		40MAHBQ06XA3	•	•	•	•	•
	40MAQB09B--3	40MAHBQ09XA3	•	•	•	•	•
	40MAQB12B--3	40MAHBQ12XA3	•	•	•	•	•
	40MAQB18B--3	40MAHBQ18XA3		•	•	•	•
	40MAQB24B--3	40MAHBQ24XA3			•	•	•
High Wall Comfort		40MHHQ09---3	•	•	•	•	•
	40MHHQ12---3	40MHHQ12--A3	•	•	•	•	•
		40MHHQ18---3		•	•	•	•
		40MHHQ24---3			•	•	•
Cassette	40MBQB09C--3	40MBCQ09---3	•	•	•	•	•
	40MBQB12C--3	40MBCQ12---3	•	•	•	•	•
	40MBQB18C--3	40MBCQ18---3		•	•	•	•
		40MBCQ24---3			•	•	•
Ducted	40MBQB09D--3	40MBDQ09---3	•	•	•	•	•
	40MBQB12D--3	40MBDQ12---3	•	•	•	•	•
	40MBQB18D--3	40MBDQ18---3		•	•	•	•
	40MBQB24D--3	40MBDQ24---3			•	•	•
Console	40MBQB09F--3	40MBFQ09---3	•	•	•	•	•
	40MBQB12F--3	40MBFQ12---3	•	•	•	•	•
		40MBFQ18---3		•	•	•	•
		40MBFQ24---3			•	•	•
Air Handler	40MBAAQ24XA3			•	•	•	
PHASED OUT							
NOT AVAILABLE / COMPATIBLE							
CURRENT MODELS							



Turn to the experts

COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**

Compatibility Controls

	Indoor unit type	Single Zone / Multi-zone	HIGH WALL				CASSETTE		DUCTED		CONSOLE		AIR HANDLER
			40MPHA	40MAQ	40MAHB	40MHH	40MBQB*C	40MBCQ	40MBQB*D	40MBDQ	40MBQB*F	40MBFQ	40MBAA
WIRED CONTROLLERS	KSACN0101AAA	Single Zone & Multi-zone		○	○	○	○	○	●	○	○	○	
	KSACN0401AAA	Single Zone & Multi-zone	○	○ †		○						○ 9-12 ‡	
	KSACN0501AAA	Single Zone & Multi-zone					○	○	○	●		○ 18-58	
	KSACN0601AAA	Single Zone & Multi-zone	○	○ †		○						○ 9-12 ‡	
	KSACN0701AAA	Single Zone & Multi-zone					○	○	○	●**		○ 18-58	
	KSACN0801AAA	Single Zone & Multi-zone			○								
24V INTERFACE*	KSAIC0101115	Single Zone Only		○ 115V		○ 115V							
	KSAIC0101230	Single Zone Only	○	○ 230V		○ 230V	‡	○	‡	○	‡	○ 12-58 †	
	KSAIC0201230	Single Zone Only											
	KSAIC0301230	Single Zone & Multi-zone	○	○ 230V	○ 230V	○ 230V	‡	○	‡	○	‡	○ 12-58 †	BUILT-IN
WI-FI KITS	KSAIF0101AAA	Single Zone & Multi-zone				○ 9/12/24k							
	KSAIF0201AAA	Single Zone & Multi-zone				○ 18k							
	KSAIF0301AAA	Single Zone & Multi-zone	‡	○	‡	‡							
	KSAIF0401AAA	Single Zone & Multi-zone					○	○	○	○	○ 18-58	○ 18-58	
	KSAIF0601AAA	Single Zone & Multi-zone	●		○								

○	Optional
●	Standard

Notes:

† 7 Day programmable compatible with indoor units starting with Serial Number 0216V10001.

‡ Compatible with indoor units starting with Serial Number 0117V10001.

** Starting with Serial Number 2820V10001 (Week 28, Year 2020) the KSACN0701AAA became the standard controller but is backwards compatible with previous production units.

*24V interface compatible with all indoor units starting with Serial Number 4216V10001 unless noted.

† 24V Interface compatible with all the sizes except sizes 12 and 58 depending on serial number. Starting with Serial Number 1419V10001 the sizes 12 and 58 are shipped with the compatible control board.

Units built prior these serial number would require a Control Board Replacement on the Indoor unit in order to be compatible.

‡ Require a Control Board Replacement on the Indoor unit for compatibility, consult EPIC for the latest product revision.

‡ Indoor unit model comes with everything to be compatible with the USB WiFi Dongle Model 17310900000281 from the KSAIF0301AAA kit. If installed in a high wall unit other than the 40MAQ, install the USB WiFi Dongle 17310900000281 into the high wall unit's factory USB port only and discard all other components of the KSAIF0301AAA kit.

Board replacement for forward compatibility is not covered as a warranty claim

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS